

Government of India

Jeevan Tara Building, 5, Sansad Marg, New Delhi – 110 001
(Tel: 01123742588, Fax: 01123340497, Web: www.dgsnd.gov.in)

Registration Certificate for Supplier of Imported Stores

DT: 11.12.2006

To
M/s Qi Network Enterprise Pvt. Ltd.,
430-431, Somdutt Chamber-II, 9, Bhikaji Cama Place,
New Delhi - 110066

Sub: Registration of firms with Directorate General of Supplies & Disposals as supplier of imported stores.

Ref: Your application No. Qi/DGS&D/06-07/001 dated 6.9.2006 & your last letter No. Nil dt 04-12-06.

Dear Sirs,


Your request for registration with Directorate General of Supplies & Disposals (DGS&D) has been accepted and your name has been included in the list of registered supplier as per the details given hereunder and in the attached Schedule.

1	Registration No.	DGS&D/Regn./Sup/06/1512-Q
2	Valid up to	From 11.12.2006 to 10.12.2008
3	Category of registration	Supplier of Imported Stores
4	Name of firm	M/s Qi Network Enterprise Pvt. Ltd
5	Office Address, E-mail ID, Telephone nos. E-mail	
	(a) Registered Office	430-431, Somdutt Chamber-II, 9, Bhikaji Cama Place, New Delhi – 110066 Telephone Nos : 011-41629294 Fax No : 011-41629295 E-mail : Rakeshsharma@qinetwork.com
	(b) Corporate/Head Office	-do-
	(c) Correspondence Address	-do-
6	Date of incorporation	
7	Constitution of the firm (Limited/partnership/proprietary etc)	Private Limited
8	Name of Managing Director/ Directors	Mr. Rakesh Sharma : Managing Director Mrs. Sudesh Sharma : Director
9	Permanent Account No. (PAN)	AAA CQ0740L
10	DGFT Import Export Code(IEC) No.	0501045601
11	Sales tax /CST registration No. and authority	TIN No.LC/101/07310247506/1201 LST/CST NO.LC/101/8900247506/1201
12	Name and address of Foreign Manufacturers	Radware Ltd., 22 RAOUL Wallenberg Street, Tel-Aviv 69710, Israel

की. सं. लाहिरी
P. S. I. A.
नया दिल्ली (नियंत्रण)
Director (Registration)
DGS&S
New Delhi

The registration is subject to **Conditions of Registration** as enclosed and as prescribed by DGS&D from time to time. Stores will be offered for customers' testing and inspection only at the premises specified in Schedule. This certificate is to be produced only in full and complete with amendments if any. Please quote your registration number in all future correspondence with DGS&D.

Yours faithfully,


Deputy Director (Registration)
for Director General of Supplies & Disposals (Registration)
DGS&S
New Delhi

Copy to:

1. Radware Ltd., 22 RAOUL Wallenberg Street, Tel-Aviv 69710, Israel

- This registration is granted on the basis of the arrangement between the applicant and them. They may also take note of the fact that their assurance regarding back up warranty and guarantee has been taken on record.
- 2. Director of Quality Assurance, DGS&D, Delhi Dte.
- 3. Director of Supplies IT Dte, DGS&D, New Delhi.
- 4. Director (MIS) DG(S&D), New Delhi
- 5. Guard File
- 6. Office Copy

Please Note:

1. This registration certificate conforms to the environmental tests conducted at the temperature 0° C and 45° C in Independent Government Laboratory in India.
2. This registration is an indication of the capability of the registered firm. For further assurance on quality, the Purchasers are advised to avail the inspection services offered by the Quality Assurance Wing of DGS&D.
3. Authenticity of this certificate can be verified by the government inventors and purchasers by logging on DGS&D website "<http://www.dgsnd.gov.in>".
4. Onus for verification of the firm's ITCC before award of Contract will rest with the purchaser .

Schedule

- 1 Name & Address of the supplier M/s Qi Network Enterprise Pvt. Ltd.,
430-431, Somdutt Chamber-II, 9, Bhikaji Cama Place,
New Delhi – 110066
- 2 Address of the works of supplier where testing is carried out M/s Qi Network Enterprise Pvt. Ltd.,
430-431, Somdutt Chamber-II, 9, Bhikaji Cama Place,
New Delhi - 110066

3. Activities performed by supplier

Processes	Give details	State: In-house or outsourced
Product performance testing	As per specification	In house
Type testing	As per T/E	Outsourced
After sales service	Own service centers	In-house

- 4 Name and address of the foreign manufacturer Radware Ltd.,
22 RAOUL Wallenberg Street,
Tel-Aviv 69710, Israel
- 5 Name and address of foreign marketing subsidiary if involved Nil


6. List of stores for which registered

Sl. No.	Description of Stores.	Specification. Brand with Model.	Limiting Size/Capacity.	Country of Origin
1	Application Director	App. Director , Model No. 1000	As per Annexure I enclosed	Israel
2	Intrusion Prevention System	Defense Pro Model No. DP 100	As per Annexure II enclosed	Israel
3	Application Accelerator	Appxcel Model No. 16000	As per Annexure III enclosed	Israel

7. Annual Turnover [Information to be given for three immediate preceding years]


Year	Turnover (Rs)-In lakhs	Profit/Loss
2004-05	416.81	Profit
2003-04	692.61	Profit
2002-03	523.10	Profit

8. Monitory Limit: Without limit


 पी.के. लहरी (P.K. Lahiri)
 Deputy Director (Registration)
 Deputy Director (Registration)
 पृथक (Separate)
 ३३/३३/३३/३३/DGS&S
 ३३/३३/३३/३३/New Delhi

Conditions of Registration

1. Registered firms are to abide by the General Conditions of contracts contained in DGS&D-68 (revised) and DGS&D-1001 from time to time.
2. It is obligatory on the part of the registered firms to furnish performance statement in format prescribed in the Application Form every year indicating all orders placed on them.
3. Registered firms are required to keep Registering Authority informed about the changes in any of the particulars furnished by them in their application or in their product specification or discontinuation of production of any item for which they stand registered. This intimation is to be given within a period of 15 days from the date of such change or discontinuation.
4. Registered firms are required to furnish all the documents having specific validity periods like BIS license, lease agreement, agreement with the principal/manufacturers to registering authority as and when they become due. Separate application shall be made for each such unit, where a firm has more than one manufacturing units. Requests for change in the name of a firm and/or their office address should be addressed to the Registration office/centre who granted the original registration enclosing the original registration certificate and duly supported by documentary evidence. In the event of any change in the constitution of the firm or in the location of their manufacturing works, the registration with DGS&D shall lapse. The firm should surrender the original registration certificate in such cases and apply for registration afresh.
5. In cases where stores are manufactured by a firm other than the supplier, the manufacturer has given a back up warranty for the stores supplied. It will be the responsibility of the supplier/ manufacturer (both in case they are different) to ensure availability of spares for at least a period of 7 years after the date of supply.
6. All registered firms are expected to maintain absolute integrity, follow a decent standard of business ethics and do nothing unbecoming of a registered supplier.
7. Fresh application with prescribed fee shall be required to be made after expiry of previous registration or for seeking additional registration/change of specification.
8. DGS&D registration is one of the requirements for the suppliers to participate in DGS&D tenders. The tenders may stipulate other requirements/eligibility criteria which are also required to be compelled with.
9. The registration on the approved list does not guarantee award of any contract. In their quotation against tenders, registered firms are to quote their registration number, along with clear statement that the tenderer is registered for that particular store with DGS&D.
10. In all future correspondence with the Registration Branch/Registering Authority of DGS&D, approved vendors are always required to quote the Registration No. given at the top of the registration letter.
11. Whenever registered firms are required to produce copy of their registered certificate, copy of the original certificate complete with all the amendments including additions/deletions etc is made their after shall be produced.
12. The Government has right to add/delete any of the items and to amend any of the terms and conditions included in the registration granted to firms with effect from any date specified in the communication notifying such change.
13. Failure to abide by the conditions of registration as above and/or on any of the other grounds as listed under Para 5.17.2 of DGS&D Manual being applicable, name of a registered firm is liable to be removed from the list of approved suppliers of DGS&D.


 P. K. Singh
 उप निदेशक (पंजीकरण)
 Dy. Director (Registration)
 पृ० तथा नि०म०नि०/DGS&S
 नई दिल्ली/New Delhi

14/1/06

APPDIRECTOR

1. Model-AppDirector1000

Technical Specifications

Feature	AppDirector1000
Nominal throughput	.Up to 1Gbps wire-speed
Non-Blocking Switch fabric	19.2Gbps
Layer 2 switching	.Wire-speed
Simultaneous sessions	.Unlimited
Routing protocols	.OSPF,RIP,RIP II,
RISC Processor	.Motorola PPC 7410 500MHZ
RAM	.Up to 512MB
Gigabit/Gbic Ports	5
10/100 Ethernetports	16
1000base-S/L/ZxPorts	.Full-duplex Gigabit Ethernet fiber
1000base-lx/zx operating distance	.LX: up to 10km .ZX: up to 80km
1000base-SX(850nm)Operating Distance	62.5micron MM fiber.2 to 275m. 50micron MM fiber.2 to 550 m.
Rs232c console	.DB-9 serial connection .female DCE interface for out-of-band management
Dimension	432 mm x 475mm(17x18.7")19" EIA rack or standalone .Height:44mm(1U) .Weight:5.3kg(11.7lbs)
802.3ae10G Ports	NA

For QI Network Pvt. Ltd.

SHAPMA
& Director

उप निदेशक गु.आ.।
By. Director Quality Assurance
कर्म निदेशक (गुणवत्ता आश्वासन)
Director Quality Assurance

प्री. वी. लोहिडी
P. L. LOHIDI
उप निदेशक (पंजीकरण)
By. Director (Registration)
प्री. वी. लोहिडी/DGS&S
नई दिल्ली - 110002 Delhi

Transaction - III

Date/Ref/Sup/06/1512


147/168


APPXCEL

1.AppXcel 16000 Technical Specifications

Features	AppXcel 16000
Transaction/ second	16000
Concurrent connections	150000
Memory	512 MB-3GB
Network Interface	One of the options: 2x 10/100BaseTX ports 1x10/100BaseTX&1x10/100/1000BaseTXport 1x10/100BaseTX&1x1000BaseSX port RS-232C connector
Operating Environment	Temperature:0 to 40 C Relative Humidity:5% to 95% non-condensing
Weight& dimension:	W430.0mm x D504.7mm x H43.7mm Weight: 7.25kg Standard 19 inch EIA rack or standalone
Power	Auto-range supply:100-250V 50-60Hz

For QI Network Enterprise Pvt. Ltd.


RAKESH SHARMA
Managing Director


Rakesh Sharma
Managing Director
QI Network Enterprise Pvt. Ltd.
100, Sector 15, Gurgaon, Haryana

By speed Post

No.DGS&D/Regn./Sup/06/1512-Q/Amdt.
Government of India
Department of Commerce (Supply Division)
Directorate General of Supplies & Disposals
Jeevan Tara Building, 5, Sansad Marg, New Delhi - 110 001
(Tel: 01123361008, Fax: 01123340497, Web: www.dgsnd.gov.in)

DT: 9.12.2006

To

M/s Qi Network Enterprise Pvt. Ltd.,
430-431, Somdutt Chamber-II, 9, Bikaji Cama Place,
New Delhi- 110 066

Sub: - Your registration as supplier of imported stores of foreign principal, M/S Radware Ltd., Israel.

Ref:

- Ref: i) Registration Certificate No. DGS&D/REGN/SUP/06/1512-Q dated 11.12.2006
iii) Your last letter no. Nil dated 24.5.2006

Dear Sirs,

Consequent upon your letter No. Nil dated 24.5.06, the following amendment is hereby authorized in the the Registration Certificate DGS&D/REGN/SUP/06/1512-Q dated 11.12.2006 :-

Against clause 6 'List of stores for which registered' in the schedule at page 3 of 4 after the existing entries, please add the following :

4	Network	Linkproof 200	As per Annexure IV enclosed	Israel
---	---------	---------------	-----------------------------	--------

All other entries in Registration certificate remain unaltered.

Yours faithfully,

(P.K. Laturi)

Deputy Director (Registration)
for Director General of Supplies & Disposals

Copy to:

1. M/s. Radware Ltd., 22, Raoul Wallenberg Street, Tel-Aviv 69710, Israel.
2. Director of Quality Assurance, DGS&D, Delhi Dte.
3. Director of Supplies (IT) Dte, DGS&D, New Delhi.
4. Director (MIS), DGS&D, New Delhi
5. Guard file.

उप निदेशक (संज्ञिकरण)
By: Director (Registration)
पू. तथा नि.म.वि.स./DGS&D
नई दिल्ली, New Delhi-11

147/5

LINK PROOF

1. Model-link proof 100/200/202

Technical Specifications

feature	Link proof100/200/202
Nominal throughput	Up to 200mbps wire-speed
Non-blocking backplane	9.6 Gbps
Layer 2 switching	Wire-speed
Simultaneous sessions	Unlimited
Routing protocols	OSPF, RIP, RIP2
RISC Processor	Motorola PPC 750 266MHZ
RAM	Up to 256MB
Gigabit/gbic Ports	0/0/2
10/100 Ethemetports	8
1000base-5/1/Zxport	Full-duplex gigabit Ethernet fiber
1000base-1x/zxoperating distance	N/A
1000base-5x(850nm)operating distance	.62.5micron MM fiber.2 to 275m. .50micron MM fiber.2 to 550 m.
RS 232c console RS 232c Console	.DB-9 serial connection .female ^{DCE} interface for out-of-band management
Dimension	.432 mm x .475mm(17x18.7")19" EIA rack or standalone .Height:44mm(1u) .Weight:3.85kg(8.5lbs)

For QI Network Enterprises Pvt. Ltd.

Director

डायरेक्टर गुणता
Dr. Director Quality Assurance
ए.डी. निदेशक (गुणता आश्वासन)
Per Director (Quality Assurance)